

Applicant(s): Alexander Tregub et al.


USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig. 1

Applicant(s): Alexander Tregub et al.


USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig. 2

Applicant(s): Alexander Tregub et al.


USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig. 3

Applicant(s): Alexander Tregub et al.


USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig. 4

Applicant(s): Alexander Tregub et al.


USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig.5




Fig. 6

Applicant(s): Alexander Tregub et al.



USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

Fig. 7

Applicant(s): Alexander Tregub et al.

USE OF ALTERNATIVE POLYMER MATERIALS FOR "SOFT"
POLYMER PELLICLES

42



Peak intensity ratio(1790cm-1 vs 2290cm-1)

	X	X-F1	X-F2
Peak intensity ratio	0.488	0.414	0.409

Fig. 8

Figure 9

